

LAGF

Spare parts catalog

Bulkcontainers



Reliable,
no matter
where.

CIMC | VEHICLES

The LAG Spare Parts catalog is a comprehensive range of all-make trailer parts and workshop consumables. Developed by LAG trailers NV, it's available through the European LAG dealer network.

LAG offers an extensive range of parts for all their build trailers but also for all other trailer brands, and a market-leading selection of consumables. All products are OE and OE quality ensuring the best for your vehicle. The entire range of LAG products can be found and easily identified in our quick reference catalogues.

By offering a comprehensive range in one place means you can reduce your supplier base and associated costs. After all different suppliers mean different admin systems – which means extra cost and hassle for you.

Once you have identified the part(s) you require, simply call, email or visit your local LAG dealer. You'll find your local branch on the following pages or on our website. Each has a broad range of parts and consumables in stock, and any not immediately available will, in the vast majority of cases, be available through the LAG parts express delivery system.

We choose only products that meet our stringent standards of both quality and durability, and back them all with standard LAG warranty terms and conditions.

Whether you carry out your own fleet maintenance, or it's conducted by your local LAG dealer, the LAG program can save you time and money, maximizing the uptime of your fleet whilst reducing the overall cost of your operation. The range is constantly being expanded, so you will always find what you need.

LAG spare-parts catalog is just one of the programs that LAG offer to support your business. Your local dealer is your one-stop partner for your transport solutions. Under one roof you will find professionals who can help you.








LAG Reliable, no matter where

Table Of Contents

Spare Parts Catalog	1
ACCESSOIRES	2
CHASSIS PARTS	8
MUDGUARD & SUPPORT	10
BODYWORK PARTS	11
AIR & PNEUMATIC BRAKE & SUSPENSION PARTS	14
ELECTRIC - GENERAL	15
AIR (PRESSURE) PARTS - CHASSIS UPPER / BODY	16
GASKETS & SEALS	20
COUPLING & VALVES - GENERAL	23
COUPLING - STORZ	30
COUPLING - GUILLIMIN	32
COUPLING - TW	33
HOSE TUBE & BRACKET PARTS	35
HANDRAIL / LADDER / WALKWAY	36
TANK PARTS	41
HYDRAULIC PARTS	44


	Article	Description
	28M3LS019A	TIR-KABEL LENGTE =19,5 METER BULKCONTAINER 40FT + BULKWAGENS TIR CABLE LENGTH = 19.5 METRES BULK CONTAINER 40FT + BULK TRAILER TIR KABEL LÄNGE = 19.5 METER SCHÜTTCONTAINER 40FT + BULK-ANHÄNGER LONGUEUR DE CÂBLE TIR = 19,5 MÈTRES CONTAINER VRAC 40FT + REMORQUE VRAC
	28M3LS025A	ANKER BEVESTIGING TIR-KABEL TIR CABLE ATTACHMENT ANCHOR TIR KABEL BEFESTIGUNG ANKER ANCRAGE DE FIXATION DE CÂBLE TIR
	28M3LS026A	DRAADSTUK BEVESTIGING TIRKABEL TIR CABLE THREAD ATTACHMENT TIR KABEL GEWINDE BEFESTIGUNG ATTACHEMENT DE CÂBLE TIR
	66ARD006	AARDINGSPEN DIAMETER 12 X 70 GROUNDING PIN DIAMETER 12 X 70 ERDUNGSANSCHLUSS DURCHMESSER 12 X 70 DIAMÈTRE DE GOUPILLE DE MISE À LA TERRE 12 X 70
	66ARD009	AARDKABELHASPEL INCL. KLEM MET OPSPOELREM (15 METER) GROUNDING CABLE REEL INCL. CLAMP WITH SPOOLER BRAKE (15 METRES) ERDUNGSKABEL REEL INKL. KLEMME MIT SPOOLER-BREMSE (15 METER) BOBINE DE CÂBLE DE MISE À LA TERRE INCL. PINCE AVEC FREIN SPOULER (15 MÈTRES)
	67ADR015	ADR INOX CIJFERSET 39-DELIG (INCL. ETUI 135X93,5) ADR INOX FIGURE SET 39-PIECE (INCL. ETUI 135X93.5) ADR INOX FIGUR SET 39-TEILE (INKL. ETUI 135X93.5) ADR INOX FIGURE ENSEMBLE 39 PIECES (Y COMPRIS ETUI 135X93.5)
	67ADR018	ADR-BORDSLEDE, MULTI PLAATH., BEUGEL+SLOT-CLIP ADR-SIGN CARRIAGE, MULTI PLATE HOLDER, BRACKET + SLOT-CLIP ADR-SCHILD WAGEN, MULT-PLATTENHALTER, HALTERUNG + SLOT-CLIP "SIGNAUX ADR, REMORQUE, SUPPORT MULTI PLAQUES, SUPPORT + FENTE-CLIP"




	Article	Description
	67ADR080	<p>SLEDE GEVARENETIKET ADR UNIV.ROESTVRIJSTAAL -VERDR.CLIP (300X300X0,8MM)</p> <p>CARRIAGE HAZARD LABEL ADR UNIV. STAINLESS STEEL -VERDR.CLIP (300X300X0,8MM)</p> <p>WAGEN GEFAHRENKENNZEICHNUNG ADR UNIV. EDELSTAHL -VERDR.CLIP (300X300X0,8MM)</p> <p>ÉTIQUETTE DE DANGER DE TRANSPORT ADR UNIV. ACIER INOXYDABLE - VERDR.CLIP (300X300X0,8MM)</p>
	67DOK001	<p>DOCUMENTHOUDER, DIA=75MM, L=350, GRIJS (ONBRANDBAAR EN WATERDICHT)</p> <p>DOCUMENT HOLDER, DIAMETER 75MM / LENGTH 350, GREY (NON-FLAMMABLE AND WATERPROOF)</p> <p>DOKUMENTENHALTER, DURCHMESSER 75MM / LÄNGE 350, GRAU (NICHT BRENNBAR UND WASSERDICHT)</p> <p>PORTE-DOCUMENTS, DIAMÈTRE 75MM / LONGUEUR 350, GRIS (ININFLAMMABLE ET IMPERMÉABLE)</p>
	67DOK002	<p>DOCUMENTHOUDER, WATERDICHT MET KETTING EN BRANDVRIJ (DIAMETER=100MM, LENGTE =350, GRIJS, ADR)</p> <p>DOCUMENT HOLDER, WATERPROOF WITH CHAIN AND NON-FLAMMABLE (DIAMETER = 100MM, LENGTH = 350, GREY, ADR)</p> <p>DOKUMENTENHALTER, WASSERDICHT MIT KETTE UND NICHT BRENNBAR (DURCHMESSER = 100MM, LÄNGE = 350, GRAU, ADR)</p> <p>PORTE-DOCUMENTS, IMPERMÉABLE AVEC CHAÎNE ET ININFLAMMABLE (DIAMÈTRE = 100MM, LONGUEUR = 350, GRIS, ADR)</p>
	67DOK003	<p>DOCUMENTHOUDER, DIAMETER=125MM, L=345, ZWART MET KETTING</p> <p>DOCUMENT HOLDER, DIAMETER = 125MM, LENGTH = 345, BLACK WITH CHAIN</p> <p>DOKUMENTENHALTER, DURCHMESSER = 125MM, LÄNGE = 345, SCHWARZ MIT KETTE</p> <p>PORTE-DOCUMENTS, DIAMETRE = 125MM, LONGUEUR = 345, NOIR AVEC CHAÎNE</p>
	67DOK004	<p>DOCUMENTKOFFER, FICHET, TYPE RIMBOX 300</p> <p>DOCUMENT CASE, FICHET, RIM BOX TYPE 300</p> <p>DOKUMENTENTASCHE, FICHET, FELGE BOX TYP 300</p> <p>DOCUMENT CASE, FICHET, RIM BOX TYPE 300</p>
	67STI024	<p>STICKER AARDING - DRIEHOEKIG, GEEL-ZWART</p> <p>STICKER GROUNDING - TRIANGULAR, YELLOW-BLACK</p> <p>AUFKLEBER ERDUNG - DREIECKIG, GELB-SCHWARZ</p> <p>AUTOCOLLANT MISE À LA TERRE - TRIANGULAIRE, JAUNE-NOIR</p>
	67STI054	<p>STICKER "HOOGTE X BREEDTE: 2,67X2,55" - FOLIE 200 X 150 MM</p> <p>STICKER HEIGHT X WIDTH: 2.67X2.55" - FOIL 200 X 150 MM</p> <p>AUFKLEBER HÖHE X BREITE: 2.67X2.55" - FOLIE 200 X 150 MM</p> <p>AUTOCOLLANT HAUTEUR X LARGEUR: 2.67X2.55" - PELICULE 200 X 150 MM</p>

	Article	Description
	67STI056	STICKER "BLIKSEMSCHICHT" STICKER 'LIGHTNING FLASS' AUFKLEBER 'LIGHTNING FLASS' AUTOCOLLANT "ÉCLAIRAGE"
	67STI059	STICKER, "ONLY TIGHTEN MANHOLE LOCK BY HAND" (150x150mm)
	67STI064	STICKER "WORKING PRESSURE 2 BAR" - FOLIE 165 X 50 MM STICKER 'WORKING PRESSURE 2 BAR' - FOIL 165 X 50 MM AUFKLEBER 'BETRIEBSDRUCK 2 BAR' - FOLIE 165 X 50 MM AUTOCOLLANT 'WORKING PRESSURE 2 BAR' - PELICULE 165 X 50 MM
	67STI065	STICKER, "SUPER HEAVY" - FOLIE DRIEHOEK L=310 STICKER, 'SUPER HEAVY' - FOIL TRIANGLE L=310 MM AUFKLEBER, 'SUPER HEAVY' - FOLIE DREIECK L=310 MM AUTOCOLLANT, 'SUPER HEAVY' - PELICULE TRIANGLE L = 310 MM
	67STI067	STICKER "ONLY EMPTY LIFTING" - FOLIE 150 X 150 MM STICKER 'ONLY EMPTY LIFTING' - FOIL 150 X 150 MM AUFKLEBER 'NUR LEERES HEBEN' - FOLIE 150 X 150 MM AUTOCOLLANT 'ONLY EMPTY LIFTING' - FEUILLE 150 X 150 MM
	67STI207	STICKER, "VERBODEN HEFTRUK-STER"
	67STI416	MARKERINGSBAND 3M SCOTCHLITE WIT MARKER BAND 3M SCOTCHLITE WHITE MARKER BAND 3M SCOTCHLITE WEIß BANDE DE MARQUEUR 3M SCOTCHLITEMC BLANC

	Article	Description
	74STO001	HAAKSLEUTEL 90-155 NW 50 TOT NW80 HOOK KEY 90-155 NW 50 TOT NW80 HOOK SCHLÜSSEL 90-155 NW 50 TOT NW80 CROCHET CLE 90-155 NW 50 TOT NW80

	Article	Description
	18SOG7008A	MOLENPLAAT 8MM H58 MET OPRIJRAMP MILL PLATE 8MM H58 WITH RAMP MÜHLEN PLATTE 8MM H58 MIT RAMPE PLAQUE DE MOULIN 8MM H58 AVEC RAMPE
	28M2J0042A	RING AARDINGSHASPEL GROUNDING REEL RING ERDUNGSSPULE-RING BAGUE DE BOBINE DE MISE À LA TERRE
	28M3P0057A	FLENS ROESTVRIJSTAAL D174XD109 / D100 X S150 X 8X D11 X 10 FLANGE STAINLESS STEEL D174XD109 / D100 X S150 X 8X D11 X 10 FLANSCH EDELSTAHL D174XD109 / D100 X S150 X 8X D11 X 10 BRIDE ACIER INOXYDABLE D174XD109 / D100 X S150 X 8X D11 X 10
	28M6L0042A	ZESKANT ROESTVRIJSTAAL [1.4301] / M24 X 30 SLW46 SIX-SIDED STAINLESS STEEL [1.4301] / M24 X 30 SLW46 SECHSSEITIG EDELSTAHL [1.4301] / M24 X 30 SLW46 ACIER INOXYDABLE À SIX RAYONS [1.4301] / M24 X 30 SLW46
	38M3L0126A	TIR OOG ALUMINIUM TIR EYE ALUMINIUM TIR ÖSE ALUMINIUM OEILLET ALUMINIUM TIR
	63JOD004	MANIVELHOUDER LG=115 JOST JS E0040200 SWIVEL STOOL HOLDER LG = 115 JOST JS E0040200 DREHHOCKER-HALTERUNG LG = 115 JOST JS E0040200 PORTE-TUBE PIVOTANT LG = 115 JOST JS E0040200
	63JOD019	VERBINDINGSSTANG JOST MODUL B L04 - LG=1500 CONNECTING ROD JOST MODUL B L04-LG = 1500 PLEUEL JOST MODUL B L04-LG = 1500 TRINGLE DE RACCORDEMENT JOST MODUL B L04-LG = 1500

	Article	Description
	73BTM022	THERMOMETER INSTECK (0+120°C /DRM 63) THERMOMETER INSERTION (0+120°C /DRM 63) EINFÜHR-THERMOMETER (0+120°C /DRM 63) INSERTION DE THERMOMÈTRE (0 + 120 ° C / DRM 63)

	Article	Description
	28M0J0009B	OPHANGING SPATBORDEN OMEGA - ROESTVRIJSTAAL SUSPENSION MUDGUARDS OMEGA - STAINLESS STEEL FEDERUNG SCHUTZBLECH OMEGA - EDELSTAHL GARDE-BOUE A SUSPENSION OMEGA - ACIER INOXYDABLE
	67SBK044	SPATBORD PARLOK, KUNSTSTOF B:405 R:635 SP:1270 H:595 FENDER PARLOK, PLASTIC B:405 R:635 SP: 1270 H:595 FENDER PARLOK, KUNSTSTOFF B:405 R:635 SP: 1270 H:595 FENDER PARLOK, PLASTIC B:405 R:635 SP: 1270 H:595
	67SLP017	SPATLAP NATUR/SBR HOOGTE=400 BREEDTE=400 DIKTE=7 LAG LOGO (ZONDER ANTI SPRAY!) MUDGUARD NATURAL/SBR HEIGHT=400 WIDTH=400 THICKNESS=7 (TYPE LAG) KOTFLÜGEL NATUR/SBR HÖHE=400 BREITE=400 THICKNESS=7 (TYP LAG) GARDE-BOUE NATUREL/SBR HAUTEUR = 400 LARGEUR = 400 EPAISSEUR = 7 (TYPE LAG)

	Article	Description
	26BOC012	BOCHT NW50 53X1.5 R70, GESLEPEN, KEGEL-DRAADSTUK ELBOW NW50 53X1.5 R70, GROUND, CONE THREAD BOGEN NW50 53X1.5 R70, GESCHLIFFEN, KONUS-GEWINDESTUCK COUDE NW50 53X1.5 R70, TERRE, FIL CONIQUE
	36BOC007	LASBOCHT 4" - 108 X 4 - 90° - ALUMINIUM WELDED ELBOW 4"- 108 X 4 - 90° - ALUMINIUM GESCHWEIßTER BOGEN 4"- 108 X 4 - 90° - ALUMINIUM COUDE SOUDÉ 4 " - 108 X 4 - 90 ° - ALUMINIUM
	36BOC008	LASBOCHT 3" - 89 X 3 - 90° - ALUMINIUM WELDED ELBOW 3"- 89 X 3 - 90° - ALUMINIUM GESCHWEIßTER BOGEN 3"- 89 X 3 - 90° - ALUMINIUM COUDE SOUDÉ 3 " - 89 X 3 - 90 ° - ALUMINIUM
	36BOC009	LASBOCHT 2" - 60 X 3 - 90° - ALUMINIUM WELDED ELBOW 2"- 60 X 3 - 90° - ALUMINIUM GESCHWEIßTER BOGEN 2"- 60 X 3 - 90° - ALUMINIUM COUDE SOUDÉ 2 " - 60 X 3 - 90 ° - ALUMINIUM
	38M3L0028A	BEVESTIGING LOOPWEG ALUMINIUM CATWALK ATTACHMENT ALUMINIUM LAUFSTEG BEFESTIGUNG ALUMINIUM ATTACHE DE PASSERELLE EN ALUMINIUM
	38M3P0021A	MANCHON 1/2" - KOLLEKTOR KIPBULK COUPLING SLEEVE 1/2"- TANKER COLLECTOR KUPPLUNGENMUFFE 1/2"- TANKER KOLLEKTOR MANCHON RACCORD 1/2 " - COLLECTEUR DE CITERNES
	38S6F7001A	CORNERBLOCK TYPE TR - ALUMINIUM - 180X162X121 CORNER BLOCK TYPE TR - ALUMINIUM - 180X162X121 ECKBSCHLOSS TYP TR - ALUMINIUM - 180X162X121 BLOC DE COIN TYPE TR - ALUMINIUM - 180X162X121

	Article	Description
	38S6F7002A	CORNERBLOCK TYPE TL - ALUMINIUM - 180X162X121 CORNER BLOCK TYPE TL - ALUMINIUM - 180X162X121 ECKBSCHLOSS TYP TL - ALUMINIUM - 180X162X121 BLOC DE COIN TYPE TL - ALUMINIUM - 180X162X121
	38S6F7003A	CORNERBLOCK TYPE BR - ALUMINIUM - 180X193X121 CORNER BLOCK TYPE BR - ALUMINIUM - 180X193X121 ECKBSCHLOSS TYP BR - ALUMINIUM - 180X193X121 BLOC DE COIN TYPE BR - ALUMINIUM - 180X193X121
	38S6F7004A	CORNERBLOCK TYPE BL - ALUMINIUM - 180X193X121 CORNER BLOCK TYPE BL - ALUMINIUM - 180X193X121 ECKBSCHLOSS TYP BL - ALUMINIUM - 180X193X121 BLOC DE COIN TYPE BL - ALUMINIUM - 180X193X121
	46NIP001	NIPPEL 2" GONDROM 07.0150 MESSING NIPPLE 2" GONDROM 07.0150 BRASS NOPPE 2" GONDROM 07.0150 MESSING RACCORD FILETE 2 "GONDROM 07.0150 LAITON
	56DOP036	INSTEKTOP ROND ZWART VOOR BUIS 28X1.5 INSERT CAP ROUND BLACK FOR TUBE 28X1.5 EINSATZKAPPE RUND SCHWARZ FÜR SCHLAUCH 28X1.5 INSERT COUVERCLE ROND NOIR POUR TUBE 28X1.5
	59RXX005	RONDE RUBBER (DEURSTOP) DIAMETER =30 HOOGTE=18 DIAMETER AS=6 ROUND RUBBER (DOOR STOP) DIAMETER = 30 HEIGHT = 18 AXIS DIAMETER = 6 RUNDER GUMMI (TÜRSTOPPER) DURCHMESSER = 30 HÖHE = 18 ACHSEN- DURCHMESSER = 6 CAOUTCHOUC ROND (ARRÊT DE PORTE) DIAMÈTRE = 30 HAUTEUR = 18 AXE DIAMÈTRE = 6
	67HGR002	HANDGREEP - L= 210 - CHROOM VERNIKKELD HAND GRIP / LENGTH 210 / CHROME NICKEL HANDGRIFF / LÄNGE 210 / CHROM NICKEL POIGNEE A MAIN / LONGUEUR 210 / CHROME NICKEL

	Article	Description
	74IKP007	INSTEEK INSCHROEFKOPPELING, RECHT DRM 8,R 1/4"K INSERTION SCREW-IN COUPLING, RIGHT DRM 8,R 1/4"K EINFÜHR EINSCHRAUB KUPPLUNG, RECHTS DRM 8,R 1/4"K RACCORD À VIS À INSERTION DROITE DRM 8, R 1/4 "K
	84GSV002	GASVEER L=500 (UIT) KOERS=200 F= 500 N (MET OOG EN ANDERE KANT RECHT KOGELGEWR.) GAS SPRING L=500 (OUTPUT) RATE =200 F= 500 N (WITH EYE AND OTHER SIDE RIGHT BALL JOINT) GASFEDER L=500 (OUTPUT) RATE =200 F= 500 N (MIT ÖSE UND AUF ANDERER SEITE RECHTS KUGELGELENK) RESSORT DE GAZ L = 500 (SORTIE) VITESSE = 200 F = 500 N (AVEC OEILLET ET JOINT A ROTULE)
	84SLO006	SLOT, VIERKANT 87X68, ZELFSLUITEND LOCK, SQUARE 87X68, CLOSED SCHLOSS, QUADRATISCH 87X68, GESCHLOSSEN SERRURE, CARRÉ 87X68, FERMÉ
	84SLO008	SLOT VIERKANT KLEIN MODEL (INOX / 100X19) LOCK SQUARE SMALL MODEL (INOX / 100X19) SCHLOSS QUADRATISCH KLEINES MODELL (INOX / 100X19) CADENAS DE SURETE PETIT MODÈLE (INOX / 100X19)
	84SLO014	SLOT,VIERKANT,KLEIN MODEL,INOX ,100X19 (STEEL GATEN=80 MM LINKSE UITVOERING) LOCK, SQUARE, SMALL MODEL, INOX, 100X19 (INSERT HOLES = 80 MM LEFT-HAND VERSION) SCHLOSS, QUADRATISCH, KLEINMODELL, INOX, 100X19 (EINLEGE BOHRUNGEN = 80 MM LINKS-HAND-AUSFÜHRUNG) SERRURE, CARRÉ, PETIT MODÈLE, INOX, 100X19 (INSERT HOLES = 80 MM VERSION GAUCHE)
	84SLU150	DEURSLOT MET SLEUTEL, RVS, INBOUW (DIEPTE INSTELBAAR H20-H52) DOOR LOCK WITH KEY, STAINLESS STEEL, BUILT-IN (ADJUSTABLE DEPTH H20-H52) TÜRSCHLOSS MIT SCHLÜSSEL, EDELSTAHL, EINGEBAUT (ANPASSBARE TIEFE H20-H52) VERROU DE PORTE AVEC CLÉ EN ACIER INOXYDABLE INTÉGRÉ (PROFONDEUR AJUSTABLE H20-H52)




	Article	Description
	65M32002	3/2 WEGVENTIEL EUROPA 3/2 DIRECTIONAL CONTROL VALVE EUROPE 3/2 WEGVENTIL EUROPA 3/2 SOUPAPE DE COMMANDE DIRECTIONNELLE EUROPE
	65M32084	3/2 WEGVENTIEL EUROPA WABCO 3/2 DIRECTIONAL CONTROL VALVE EUROPE WABCO 3/2 WEGEVENTIL EUROPA WABCO 3/2 SOUPAPE DE COMMANDE DIRECTIONNELLE EUROPE WABCO








Article	Description
	65M32062 MAGNEETVENTIEL (NG)- 3/2 , 24VDC EEX M II T4 MAGNETIC VALVE (NG) - 3/2, 24VDC EEX M II T4 MAGNETVENTIL (NG) - 3/2, 24VDC EEX M II T4 VALVE MAGNÉTIQUE (NG) - 3/2, 24VDC EEX M II T4

	Article	Description
	58M3P0173A	KAP VOOR HEROSE OVERDRUKVENTIEL 1 1/2" D39 CAP FOR HEROSE OVERPRESSURE VALVE 1 1/2" D39 KAPPE FÜR HEROSE ÜBERDRUCKVENTIL 1 1/2" D39 BOUCHON POUR SOUPAPE DE SURPRESSION HEROSE 1 1/2 "D39
	65M52002	5/2 KLEP,G 1/8", LUCHT BEDIEND,VEERRETOUR 5/2 VALVE, G 1/8", AIR-OPERATED, SPRING RETURN 5/2 VENTIL, G 1/8", LUFTBETRIEBEN, FEDERRÜCKLAUF SOUPAPE 5/2, G 1/8 ", A AIR, RETOUR A RESSORT
	73BDR057	OVERDRUKVENT HEROSE 1 1/2" - 0,8 BAR OVERPRESSURE VALVE HEROSE 1 1/2" - 0,8 BAR ÜBERDRUCKVENTIL HEROSE 1 1/2" - 0,8 BAR SOUPAPE DE SURPRESSION HEROSE 1 1/2 "- 0,8 BAR
	73BDR058	OVERDRUKVENTIEL HEROSE 1 1/2" - 1,8 BAR OVERPRESSURE VALVE HEROSE 1 1/2" - 1,8 BAR ÜBERDRUCKVENTIL HEROSE 1 1/2" - 1,8 BAR SOUPAPE DE SURPRESSION HEROSE 1 1/2 "- 1,8 BAR
	73BDR059	OVERDRUKVENTIEL HEROSE 1 1/2" - 2 BAR - CE OVERPRESSURE VALVE HEROSE 1 1/2" - 2 BAR - CE ÜBERDRUCKVENTIL HEROSE 1 1/2" - 2 BAR - CE SOUPAPE DE SURPRESSION HEROSE 1 1/2 "- 2 BAR - CE
	73BDR130	ROESTVRIJSTAAL KAP VOOR VACUUMVENTIEL UNIACT 2" STAINLESS STEEL CAP FOR VACUUM VALVE UNIACT 2" EDELSTAHL KAPPE FÜR VAKUUMVENTIL UNIACT 2" BOUCHON EN ACIER INOXYDABLE POUR SOUPAPE D'ASPIRATION UNIACT 2 "
	73BDR132	VACUUMVENTIEL FV.UNIACT 2", 1/2"HG (0,016B) - ZONDER KAP VACUUM VALVE FV. UNIACT 2", 1/2" HG (0,016B) – WITHOUT CAP VAKUUMVENTIL FV. UNIACT 2", 1/2" HG (0,016B) – OHNE KAPPE VALVE D'ASPIRATION FV. UNIACT 2 ", 1/2" HG (0,016B) - SANS CAPUCHON




	Article	Description
	73BDR234	<p>VACUUMVENTIEL, PEROLO YAK, R2",0.02 B-CE</p> <p>VACUUM VALVE, PEROLO YAK, R2",0.02 B-CE</p> <p>VAKUUMVENTIL, PEROLO YAK, R2",0.02 B-CE</p> <p>VANNE D'ASPIRATION, PEROLO YAK, R2 ", 0.02 B-CE</p>
	73BDR268	<p>VACUUMVENTIEL PEROLO (YAK, R2",0.21 B - CE)</p> <p>VACUUM VALVE PEROLO (YAK, R2",0.21 B - CE)</p> <p>VAKUUMVENTIL PEROLO (YAK, R2",0.21 B - CE)</p> <p>VALVE D'ASPIRATION PEROLO (YAK, R2 ", 0.21 B - CE)</p>
	73BDR282	<p>VACUUMVENTIEL PEROLO YAK V, R2",0.02 B,CE,FOOD ATT (ZONDER KAP)</p> <p>VACUUM VALVE PEROLO YAK V, R2",0.02 B,CE,FOOD ATT (WITHOUT CAP)</p> <p>VAKUUMVENTIL PEROLO YAK V, R2",0.02 B,CE, LEBENSMITTEL ATT (OHNE KAPPE)</p> <p>VANNE D'ASPIRATION PEROLO YAK V, R2 ", 0.02 B, CE, ATT. ALIMENTAIRE (SANS CAPUCHON)</p>
	73BLL002	<p>WOELER SOLIMAR 4124 , OPWOELSCHIIF</p> <p>WOELER SOLIMAR 4124 , TURBULENCE DISC</p> <p>WOELER SOLIMAR 4124 , TURBULENZSCHEIBE</p> <p>WOELER SOLIMAR 4124, DISQUE DE TURBULENCE</p>
	73BLL003	<p>WOELER SOLIMAR 4134 , OPWOELSCHIIF</p> <p>WOELER SOLIMAR 4134 , TURBULENCE DISC</p> <p>WOELER SOLIMAR 4134 , TURBULENZSCHEIBE</p> <p>WOELER SOLIMAR 4134, DISQUE DE TURBULENCE</p>
	73BLL011	<p>GELUIDSDEMPER MWSL2" UD - SINTERBRONS</p> <p>SOUND DAMPER MWSL2" UD – SINTERED BRONZE</p> <p>SCHALLDÄMPFER MWSL2" UD – SINTEROT BRONZE</p> <p>AMORTISSEUR DE SON MWSL2 "UD - BRONZE FRITTÉ</p>
	73BLL012	<p>PNEUMATISCHE ROLVIBRATOR (4250 NEWTON / 22.000HZ.)</p> <p>PNEUMATIC ROLL VIBRATOR (4250 NEWTON / 22,000HZ)</p> <p>PNEUMATISCHER ROLL-VIBRATOR (4250 NEWTON / 22,000HZ)</p> <p>VIBRATEUR À PISTON PNEUMATIQUE (4250 NEWTON / 22,000HZ)</p>








	Article	Description
	73BLL025	<p>GELUIDSDEMPER VOOR ROLVIBRATOR 73BLL012</p> <p>SOUND DAMPER FOR ROLL VIBRATOR 73BLL012</p> <p>SCHALLDÄMPFER FÜR ROLLVIBRATOR 73BLL012</p> <p>AMORTISSEUR DE SON POUR VIBRATEUR DE ROULEMENT 73BLL012</p>
	73BMM010	<p>MANOMETER, 0...4 BAR, D63, G1/4" ONDER</p> <p>MANOMETER, 0...4 BAR, D63, G1/4" UNDER</p> <p>MANOMETER, 0...4 BAR, D63, G1/4" UNTERSEITE</p> <p>MANOMÈTRE, 0 ... 4 BAR, D63, G1 / 4 "BAS</p>
	73BMM013	<p>MANOMETER, 0...6 BAR, D63, G1/4" ONDER</p> <p>MANOMETER, 0...6 BAR, D63, G1/4" UNDER</p> <p>MANOMETER, 0...6 BAR, D63, G1/4" UNTERSEITE</p> <p>MANOMÈTRE, 0 ... 6 BAR, D63, G1 / 4 "BAS</p>
	73BMM016	<p>MANOMETER, 0-4 BAR, D63, G1/4" ACHTER</p> <p>MANOMETER, 0-4 BAR, D63, G1/4" REAR</p> <p>MANOMETER, 0-4 BAR, D63, G1/4" RÜCKSEITE</p> <p>MANOMÈTRE, 0-4 BAR, D63, G1 / 4 "ARRIÈRE</p>
	73BMM029	<p>MANOMETER, 0...4 BAR, D63, G1/4" LINKS</p> <p>MANOMETER, 0... 4 BAR, D63, G1/4 "LEFT</p> <p>MANOMETER, 0... 4 BAR, D63, G1/4 "LEFT</p> <p>MANOMÈTRE, 0... 4 BAR, D63, G1/4 "GAUCHE</p>
	73BMM031	<p>MANOMETER, 0...4 BAR, D63, G1/4" RECHTS (GLYCERINE)</p> <p>MANOMETER, 0...4 BAR, D63, G1/4" RIGHT (GLYCERINE)</p> <p>MANOMETER, 0...4 BAR, D63, G1/4" RECHTS (GLYZERIN)</p> <p>MANOMÈTRE, 0 ... 4 BAR, D63, G1 / 4 "DROIT (GLYCÉRINE)</p>
	73BMM049	<p>MANOMETER (0...6 BAR, D63, G1/4" ACHTER)</p> <p>MANOMETER (0...6 BAR, D63, G1/4" REAR)</p> <p>MANOMETER (0...6 BAR, D63, G1/4" RÜCKSEITE)</p> <p>MANOMÈTRE (0 ... 6 BAR, D63, G1 / 4 "ARRIÈRE)</p>

	Article	Description
	73BTM003	<p>THERMOMETER, INSTEEL, 0+120°C, DRM 63 (ROESTVRIJSTAAL - MET PASTA GEVULD)</p> <p>THERMOMETER, INSERTION, 0+120°C, DRM 63 (STAINLESS STEEL – FILLED WITH PASTE)</p> <p>THERMOMETER, EINFÜHRUNG, 0+120°C, DRM 63 (EDELSTAHL – MIT PASTE GEFÜLLT)</p> <p>THERMOMÈTRE, INSERTION, 0 + 120 ° C, DRM 63 (ACIER INOXYDABLE - REMPLI AVEC PÂTE)</p>
	73TSK028	<p>TERUGSLAGKLEP NW2 IG,EUROPA</p> <p>CHECK VALVE NW2 IG,EUROPA</p> <p>RÜCKSCHLAGVENTIL NW2 IG,EUROPA</p> <p>SOUPAPE DE RETOUR NW2 IG, EUROPE</p>
	73TSK039	<p>TERUGSLAGKLEP,MONDEO,2",ROESTVRIJSTAAL</p> <p>CHECK VALVE,MONDEO,2",(STAINLESS STEEL)</p> <p>RÜCKSCHLAGVENTIL,MONDEO,2",(EDELSTAHL)</p> <p>SOUPAPE DE RETOUR, MONDEO, 2 ", (ACIER INOXYDABLE)</p>

	Article	Description
	73KRO098	DICHTING VLINDERKLEP BURGMER DN 150 NBR WIT SEALING BUTTERFLY VALVE BURGMER DN 150 NBR WHITE ABSPERRKLAPPE BURGMER DN 150 NBR WEIß SCELLAGE VANNE PAPILLON BURGMER DN 150 NBR BLANC
	73MGD015	DICHTING DEKSEL LAG 20X13,INWENDIG DRM 432, BULK (WIT) SEAL LID LAG 20X13, INTERNAL DRM 432, BULK (WHITE) SIEGELDECKEL LAG 20X13, INTERN DRM 432, BULK (WEIß) JOINT COUVERCLE LAG 20X13, DRM INTERNE 432, VRAC (BLANC)
	73MGD023	DICHTING DEKSEL, FV ,500, CHEMIE/VOEDING (PFTE) SEAL LID,FV,500,CHEMICAL/FOOD (PFTE) SIEGELDECKEL,FV,500,CHEMISCH/LEBENSMITTEL (PFTE) COUVERCLE D'ÉTANCHÉITÉ, FV, 500, PRODUIT CHIMIQUE / ALIMENTAIRE (PFTE)
	73MGD026	DICHTING DEKSEL LAG 20X13,INWENDIG DRM 612, BULK (voeding, wit) SEAL LID LAG 20X13,INWENDIG DRM 612, BULK (food, WHITE) SIEGELDECKEL LAG 20X13,INWENDIG DRM 612, BULK (LEBENSMITTEL, WEIß) JOINT COUVERCLE LAG 20X13, INWENDIG DRM 612, VRAC (nourriture, BLANC)
	73MGD054	DICHTING DEKSEL LAG 20X13,INWENDIG DRM 472, BULK, VOEDING SEAL LID LAG 20X13, INTERNAL DRM 472, BULK, FOOD SIEGELDECKEL LAG 20X13, INTERN DRM 472, BULK, LEBENSMITTEL JOINT COUVERCLE 20X13, DRM INTERNE 472, VRAC, ALIMENTAIRE
	73MGD062	DICHTING DEKSEL LAG 21X18, INWENDIG DRM 612, BULK SEAL LID LAG 21X18, INTERNAL DRM 612, BULK SIEGELDECKEL LAG 21X18, INTERN DRM 612, BULK JOINT COUVERCLE LAG 21X18, DRM INTERNE 612, VRAC
	73MGD074	DICHTING DEKSEL LAG HERTEL Ø10MM, HOL SEAL LID LAG HERTEL Ø10MM, CONCAVE SIEGELDECKEL LAG HERTEL Ø10MM, KONKAV JOINT COUVERCLE LAG HERTEL Ø10MM, CONCAVE

	Article	Description
	73MGD119	DICHTING DEKSEL LAG 20X13,INWENDIG DRM 712, BULK (wit) SEAL LID LAG 20X13, INTERNAL DRM 712, BULK (WHITE) SIEGELDECKEL LAG 20X13, INTERN DRM 712, BULK (WEIß) JOINT COUVERCLE 20X13, DRM INTERNE 712, VRAC (BLANC)
	73MGD345	DICHTING TANK-HOL (21X18 UITLAAT(Ø700) WIT, DRM 725) SEAL TANK-CONCAVE (21X18 OUTLET (Ø700) WHITE, DRM 725) DICHTUNG TANK-KONKAV (21X18 AUSLASS (Ø700) WEIß, DRM 725) JOINT RESERVOIR CONCAVE; (21X18 SORTIE (Ø700) BLANC, DRM 725)
	73MGD350	DICHTING DEKSEL LAG 20X13,INWENDIG DRM 457, BULK - WIT PREPOL SEAL LID LAG 20X13, INTERNAL DRM 457, BULK - WHITE PREPOL SIEGELDECKEL LAG 20X13, INTERN DRM 457, BULK - WEIß PREPOL CONVERCLE LAG 20X13, DRM INTERNE 457, EN VRAC - BLANC PREPOL
	77DKG003	DICHTING, KOPPELING, GUILLEMIN 3", BUNA ZWART SEAL, COUPLING, GUILLEMIN 3", BUNA BLACK DICHTUNG, KUPPLUNG, GUILLEMIN 3", BUNA SCHWARZ SEAL, RACCORD, GUILLEMIN 3 ", BUNA NOIR
	77DKR005	DICHTING, DIN11851 G, NW50, PTFE WIT (64X54X5) SEAL, DIN11851 G, NW50, PTFE WHITE (64X54X5) DICHTUNG, DIN11851 G, NW50, PTFE WEIß (64X54X5) JOINT, DIN11851 G, NW50, PTFE BLANC (64X54X5)
	77DKR009	DICHTING,DIN11851 G,NW80,PTFE WIT (95X85X5) SEAL,DIN11851 G,NW80,PTFE WHITE (95X85X5) DICHTUNG,DIN11851 G,NW80,PTFE WEIß (95X85X5) JOINT, DIN11851 G, NW80, PTFE BLANC (95X85X5)
	77DKR011	DICHTING, DIN11851 G, NW100, PTFE WIT (114X104X6) SEAL, DIN11851 G, NW100, PTFE WHITE (114X104X6) DICHTUNG, DIN11851 G, NW100, PTFE WEIß (114X104X6) JOINT, DIN11851 G, NW100, PTFE BLANC (114X104X6)

	Article	Description
	77DKR021	DICHTING, DIN11851, NW100, NBR WIT SEAL, DIN11851, NW100, NBR WHITE DICHTUNG, DIN11851, NW100, NBR WEIß JOINT, DIN11851, NW100, NBR BLANC
	77VLR013	DICHTING, FLENS, PTFE, DIAMETER175/102X 2 SEAL, FLANGE, PTFE, DIAMETER175/102X 2 DICHTUNG, FLANSCH, PTFE, DURCHMESSER175/102X 2 JOINT, BRIDE, PTFE, DIAMETER175 / 102X 2
	77VLR204	ENVELOPPE PTFE - 90 U SHAPE ARAMIDE + NBR ENVELOPE PTFE - 90 U SHAPE ARAMIDE + NBR UMSCHLAG PTFE - 90 U FORM ARAMIDE + NBR ENVELOPPE PTFE - 90 U ARAMIDE + NBR

	Article	Description
	26BOC007	BOCHT 2" (INWENDIG/UITWENDIG DRAAD) GILLAIN 2223 ; W1.4404 ELBOW 2" (INWARD/OUTWARD THREAD) GILLAIN 2223; W1.4404 BOGEN 2" (INNEN-/AUßENGEWINDE) GILLAIN 2223; W1.4404 COUDE 2 "(FIL INTERIEUR / EXTERIEUR) GILLAIN 2223; W1.4404
	26BOC085	BOCHT 90GR ROS4"IXG4"AXG2"A RVS 1.4401 ELBOW 90GR ROS4"IXG4"AXG2"A STAINLESS STEEL 1.4401 BOGEN 90GR ROS4"IXG4"AXG2"A EDELSTAHL 1.4401 COUDE 90GR ROS4 "IXG4" AXG2 "A ACIER INOXYDABLE 1.4401
	26DEK002	DEKSEL LEIDING 1 1/2" - MET DICHTING PTFE ROESTVRIJSTAAL PIPE CAP 1 1/2"- WITH PTFE SEAL - STAINLESS STEEL ROHR-KAPPE 1 1/2"- MIT PTFE-DICHTUNG - EDELSTAHL BOUCHON DE TUYAU 1 1/2 " - AVEC JOINT DE PTFE - ACIER INOXYDABLE
	28M2PS021A	ANTI DIEFSTAL KABEL RVS D6 S.S. (LENGHT 400MM.) ANTI-THEFT CABLE STAINLESS STEEL D6 (LENGTH 400MM.) DIEBSTAHLSCHUTZ KABEL EDELSTAHL D6 (LÄNGE 400MM.) CÂBLE ANTIVOL ACIER INOXYDABLE D6 (LONGUEUR 400MM.)
	36DEK001	EINDKAP LEIDING 2" - ALUMINIUM END CAP PIPE 2"- ALUMINIUM ABSCHLUSSKAPPE ROHR 2"- ALUMINIUM TUYAU D'EXTRÉMITÉ 2 "- ALUMINIUM
	46DEK002	DEKSEL, LEIDING 3" - MESSING LID, PIPE 3 "-BRASS DECKEL, ROHR 3 "-MESSING COUVERCLE, PIPE 3 "-LAITON
	46DEK003	DEKSEL, LEIDING 4" - MESSING LID, PIPE 4 "-BRASS DECKEL, ROHR 4 "-MESSING COUVERCLE, PIPE 4 "-LAITON



	Article	Description
	57PLD001	<p>COMPRESSORSLANG NW50, HITTEBESTENDIG 200°C, PIEK 240°C, 3 BAR (prijs p/m)</p> <p>COMPRESSOR HOSE NW50, HEAT-RESISTANT 200°C, PEAK 240°C, 3 BAR</p> <p>KOMPRESSOR-SCHLAUCH NW50, HITZEBESTÄNDIG BIS 200°C, MAX. 240°C, 3 BAR</p> <p>TUYAU DE COMPRESSEUR NW50, RÉSISTANT À LA CHALEUR 200 ° C, PIC 240 ° C, 3 BAR</p>
	73KGL003	<p>KIJKGLAS, GLAS, NW100 (100X120X 76)</p> <p>VIEW GLASS, GLASS, NW100 (100X120X 76)</p> <p>UHREN GLAS, GLAS, NW100 (100X120X 76)</p> <p>VERRE DE MONTRE, VERRE, NW100 (100X120X 76)</p>
	73KKR008	<p>KOGELKRAAN, NW 1" (MOFAANSLUITING-PN 16 HUIS:MS VERNIKKELD)</p> <p>BALL VALVE, NW 1" (MOF CONNECTION - PN 16 HOUSING: MS NICKEL PLATED)</p> <p>KUGELVENTIL, NW 1" (MOF VERBINDUNG - PN 16 GEHÄUSE: MS VERNICKELT)</p> <p>VANNE À BOULE, NW 1 "(CONNEXION MOF - PN 16 BOÎTIER: MS NICKEL PLAQUÉ)</p>
	73KKR026	<p>KOGELKRAAN , NW50, 2-DELIG, 2" ROESTVRIJSTAAL (PFTE DICHTING - VOLLE DOORLAAT)</p> <p>BALL VALVE, NW50, 2-PART, 2" STAINLESS STEEL (PFTE SEAL – FULL PASSTHROUGH)</p> <p>KUGELVENTIL, NW50, 2-PART, 2" EDELSTAHL (PFTE DICHTUNG – FULL PASSTHROUGH)</p> <p>VANNE À BOULE, NW50, EN 2 PARTIES, ACIER INOXYDABLE DE 2 "(JOINT PFTE - INTÉGRAL)</p>
	73KKR037	<p>KOGELKRAAN,NW 100,HUIS:ALU - KOGEL:RVS</p> <p>BALL VALVE, NW 100, HOUSE: ALU-BALL: STAINLESS STEEL</p> <p>KUGELHAHN, NW 100, HAUS: ALU-KUGEL: ROSTFREIER STAHL</p> <p>VALVE À BILLE, NW 100, MAISON: ALU-BALL: ACIER INOXYDABLE</p>
	73KKR039	<p>KOGELKRAAN NW38, 2-DELIG, 1 1/2" ROESTVRIJSTAAL</p> <p>BALL VALVE NW38, 2-PART, 1 1/2" STAINLESS STEEL</p> <p>KUGELVENTIL NW38, 2-PART, 1 1/2" EDELSTAHL</p> <p>VANNE À BOULE NW38, EN 2 PARTIES, ACIER INOXYDABLE 1 1/2 "</p>
	73KKR040	<p>KOGELKRAAN, NW 25, 2-DELIG, 1" RVS (DICHT.PTFE - VOLLE DOORLAAT)</p> <p>BALL VALVE, NW 25, 2-PART, 1" STAINLESS STEEL (SEAL PTFE - FULL PASSTHROUGH)</p> <p>KUGELVENTIL, NW 25, 2-PART, 1" EDELSTAHL (DICHTUNG PTFE - FULL PASSTHROUGH)</p> <p>VANNE À BOULE, NW 25, EN 2 PARTIES, 1 "ACIER INOXYDABLE (JOINT PTFE - INTEGRAL)</p>

	Article	Description
	73KKR041	<p>KOGELKRAAN NW15, 2-DELIG, 1/2" ROESTVRIJSTAAL</p> <p>BALL VALVE NW15, 2-PART, 1/2" STAINLESS STEEL</p> <p>KUGELVENTIL NW15, 2-PART, 1/2" EDELSTAHL</p> <p>VANNE À BOULE NW15, EN 2 PARTIES, 1/2 "ACIER INOXYDABLE</p>
	73KKR042	<p>KOGELKRAAN,NW 20, 2-DELIG, 3/4" RVS (BV2-11 DN 3/4", DICTH.PTFE - VOLLE DOORLAAT)</p> <p>BALL VALVE, NW 20, 2-PART, 3/4" STAINLESS STEEL (BV2-11 DN 3/4", SEAL PTFE - FULL PASSTHROUGH)</p> <p>KUGELVENTIL, NW 20, 2-PART, 3/4" EDELSTAHL (BV2-11 DN 3/4", DICHTUNG PTFE - FULL PASSTHROUGH)</p> <p>VANNE À BOULE, NW 20, EN 2 PARTIES, ACIER INOXYDABLE 3/4 "(BV2-11 DN 3/4", JOINT PTFE - INTÉGRAL)</p>
	73KOL005	<p>SAMENGESTELDE KOLLEKTOR 3 " RVS (L = 590)</p> <p>ASSEMBLED COLLECTOR 3 " STAINLESS STEEL (L = 590)</p> <p>ZUSAMMENGEBAUTER SAMMLER 3 " EDELSTAHL (L = 590)</p> <p>COLLECTEUR COMPOSITE 3 "ACIER INOXYDABLE (L = 590)</p>
	73KRO036	<p>HENDEL MET TIR-BLOK.PL. VLINDERKLEP BURGMER</p> <p>HANDLE WITH TIR-BLOCK.PL. BUTTERFLY VALVE BURGMER</p> <p>GRIFF MIT TIR-BSCHLOSS.PL. DROSSELKLAPPE BURGMER</p> <p>POIGNÉE AVEC TIR-BLOCK.PL. BURGMERE VALVE PAPILLON</p>
	73KRO037	<p>HENDEL VEERBELAST (DN15-50)</p> <p>SPRING-LOADED HANDLE (DN15-50)</p> <p>GEFEDERTER GRIFF (DN15-50)</p> <p>POIGNÉE À RESSORT (DN15-50)</p>
	73PLK008	<p>PLUGKRAAN GR 2" MESSING</p> <p>PLUG TAP GR 2" BRASS</p> <p>STECKER GR 2" MESSING</p> <p>ROBINET PLUG GR 2 "LAITON</p>
	73TSK005	<p>TERUGSLAGKLEP , J 17,3" IG, GONDROM</p> <p>CHECK VALVE , J 17,3" IG, GONDROM</p> <p>RÜCKSCHLAGVENTIL , J 17,3" IG, GONDROM</p> <p>SOUPAPE DE RETOUR, J 17,3 "IG, GONDROM</p>

	Article	Description
	73VLK016	VLINDERKLEP BURGMER NW150 , 8XSTC.210 - ROESTVRIJSTAAL BUTTERFLY VALVE BURGMER NW150 , 8XSTC.210 - STAINLESS STEEL DROSSELKLAPPE BURGMER NW150 , 8XSTC.210 - EDELSTAHL SOUPAPE PAPILLON BURGMER NW150, 8XSTC.210 - ACIER INOXYDABLE
	73VLK062	VLINDERKLEP, TYPE VV-LAG DN300 - VENTIL BUTTERFLY VALVE, TYPE VV-LAG DN300 - VENT DROSSELKLAPPE, TYP VV-LAG DN300 - VENT SOUPAPE PAPILLON, TYPE VV-LAG DN300 - VALVE
	73VLK063	VLINDERKLEP NW50, 2 X R2" BUITENDRAAD, ROESTVRIJSTAAL 304 BUTTERFLY VALVE NW50, 2XR2" external wire, STAINLESS STEEL 304 DROSSELKLAPPE NW50, 2XR2" EXTERN DRAHT, EDELSTAHL 304 SOUPAPE PAPILLON NW50, 2XR2 "filetage extérieur, INOX 304
	73VLK107	VLINDERKLEP NW50 , S+R2"IG, ROESTVRIJSTAAL 304 BUTTERFLY VALVE NW50 , S+R2"IG, STAINLESS STEEL 304 DROSSELKLAPPE NW50 , S+R2"IG, EDELSTAHL 304 SOUPAPE PAPILLON NW50, S + R2 "IG, ACIER INOXYDABLE 304
	73VLK148	VLINDERKLEP BURGMER NW150 ,8XSTC.210 BUTTERFLY VALVE BURGMER NW150, 8XSTC.210 DROSSELKLAPPE BURGMER NW150, 8XSTC.210 SOUPAPE PAPILLON BURGMER NW150, 8XSTC.210
	73VLK265	VLINDERKLEP BURGMER NW100 , TW BUTTERFLY VALVE BURGMER NW100 , TW DROSSELKLAPPE BURGMER NW100 , TW SOUPAPE PAPILLON BURGMER NW100, TW
	74KPS009	SPANSCHAAL ,ALUMINIUM MET BOUTEN IN ROESTVRIJSTAAL (ND=50 / WD=8) CLAMP, ALUMINIUM WITH BOLTS IN STAINLESS STEEL (ND=50 / WD=8) KLEMME, ALUMINIUM MIT SCHRAUBEN IN EDELSTAHL (ND=50 / WD=8) COLLIER, ALUMINIUM AVEC BOULONS EN ACIER INOXYDABLE (ND = 50 / WD = 8)

	Article	Description
	74KPS010	<p>SPANSCHAAL, ALUMINIUM MET BOUTEN IN ROESTVRIJSTAAL (ND=75 / WD=8)</p> <p>CLAMP, ALUMINIUM WITH BOLTS IN STAINLESS STEEL (ND=75 / WD=8)</p> <p>KLEMME, ALUMINIUM MIT SCHRAUBEN IN EDELSTAHL (ND=75 / WD=8)</p> <p>COLLIER, ALUMINIUM AVEC BOULONS EN ACIER INOXYDABLE (ND = 75 / WD = 8)</p>
	74LUD001	<p>KLAUWKOPPELING, LUDECK, ROESTVRIJSTAAL, R1" INWENDIG</p> <p>CLAW COUPLING, LUDECK, STAINLESS STEEL, R1" FEMALE</p> <p>KLAUENKUPPLUNG, LUDECK, EDELSTAHL, R1" WEIBLICH</p> <p>RACCORD A GRIFFES, LUDECK, ACIER INOXYDABLE, R1 "FEMELLE</p>
	74LUD002	<p>KLAUWKOPPELING, LUDECK, ROESTVRIJSTAAL, BLIND</p> <p>CLAW COUPLING, LUDECK, STAINLESS STEEL, BLIND</p> <p>KLAUENKUPPLUNG, LUDECK, EDELSTAHL, BLIND</p> <p>RACCORD A GRIFFES, LUDECK, ACIER INOXYDABLE, BORGNE</p>
	74LUD003	<p>KLAUWKOPPELING, LUDECK, ROESTVRIJSTAAL, R1" UITWENDIG</p> <p>CLAW COUPLING, LUDECK, STAINLESS STEEL, R1" MALE</p> <p>KLAUENKUPPLUNG, LUDECK, EDELSTAHL, R1" MÄNNLICH</p> <p>RACCORD A GRIFFES, LUDECK, ACIER INOXYDABLE, R1 "MALE</p>
	74ROS014	<p>INSCHROEFKEGELSTUK, DIN11851 DT, NW50, 1.4307</p> <p>SCREW-IN CONE PIECE, DIN11851 DT, NW50, 1.4307</p> <p>EINSCHRAUB KEGELSTÜCK, DIN11851 DT, NW50, 1.4307</p> <p>VIS CONIQUE, DIN11851 DT, NW50, 1.4307</p>
	74ROS016	<p>INSCHROEFDRAADSTUK, DIN11851 CT, NW50,1.4307</p> <p>SCREW-IN THREAD PIECE, DIN11851 CT, NW50, 1.4307</p> <p>EINSCHRAUB GEWINDESTÜCK, DIN11851 CT, NW50, 1.4307</p> <p>VIS FILETÉE, DIN11851 CT, NW50, 1.4307</p>
	74ROS037	<p>LASKEGELSTUK ,DIN11851 SD, NW100 , 1.4307</p> <p>WELD CONE PIECE,DIN11851 SD, NW100 , 1.4307</p> <p>WELD KEGELSTÜCK,DIN11851 SD, NW100 , 1.4307</p> <p>PIÈCE DE CÔNE DE SOUDAGE, DIN11851 SD, NW100, 1.4307</p>








	Article	Description
	74ROS042	OPSCHROEFDRAADSTUK, DIN11851 CT, NW50, 1.4307 SCREW ON THREAD PIECE, DIN11851 CT, NW50, 1.4307 ANSCHRAUBBARES GEWINDESTÜCK, DIN11851 CT, NW50, 1.4307 VIS SUR PIECE DE FILETAGE, DIN11851 CT, NW50, 1.4307
	74ROS047	SLANGKEGELSTUK (DIN11851, NW50, 1.4307) HOSE CONE PIECE (DIN11851, NW50, 1.4307) SCHLAUCH KEGELSTÜCK (DIN11851, NW50, 1.4307) PIÈCE DE CÔNE DE TUYAU (DIN11851, NW50, 1.4307)
	74ROS050	WARTELMOER, DIN11851 F, NW50, 1.4307
	74ROS058	BLINDMOER FB, NW100, PE-WIT, KNOP (DIN11851) BLIND NUT FB, NW100, PE-WHITE, KNOP (DIN11851) BLINDMUTTER FB, NW100, PE-WEIß, KNOP (DIN11851) ECROU BORGNE FB, NW100, PE-BLANC, KNOP (DIN11851)
	74ROS086	BLINDMOER, DIN11851 FB, NW50, 1.4307, KEGEL (MET KETTING)
	74ROS104	LASDRAADSTUK, DIN11851 SC, NW50, 1.4307 (53X1.5)
	74VUL159	VULKOPPELING API 4" (ALU +KIJKGLAS) ENTER CLUTCH API 4 "(ALU + VIEWING GLASS) ENTER CLUTCH API 4 "(ALU + SICHT GLAS) ENTER EMBRAYAGE API 4 "(ALU + GLASS VIEWING)




	Article	Description
	79KAB012	<p>ANTI DIEFSTAL KABEL MET PVC TBV APPANDAGES (2X OOGJE / TOTAAL LENGTE 200MM)</p> <p>ANTI-THEFT CABLE WITH PVC FOR APPENDAGES (2X EYE/ TOTAL LENGTH 200MM)</p> <p>DIEBSTAHLSICHERUNGSKABEL MIT PVC FÜR ANHÄNGE (2X ÖSE/ TOTAL LÄNGE 200MM)</p> <p>CABLE ANTI-VOL AVEC PVC POUR APPENDICES (2X OEILLETES / LONGUEUR TOTALE 200MM)</p>
	A6L0000714	<p>BESCHERMKAP VOOR EINDKOPPELING</p> <p>END COUPLING CAP</p> <p>ENDE KUPPLUNGS KAPPE</p> <p>EMBOUT D'ACCOUPEMENT</p>

	Article	Description
	74STO092	STORZ, VAST, 4" ,ID ,ALUMINIUM, NW110, NOK.133 (PFTE / FOOD) STORZ, FIXED, 4" ,ID ,ALUMINIUM, NW110, NOK.133 (PFTE / FOOD) STORZ, FIX, 4" ,ID ,ALUMINIUM, NW110, NOK.133 (PFTE / LEBENSMITTEL) STORZ, FIXE, 4 " , ID, ALUMINIUM, NW110, NOK.133 (PFTE / ALIMENTATION)
	74STO096	STORZ, BLIND, ALUMINIUM NW110 NOK.133 STORZ, BLIND, ALUMINIUM NW110 NOK.133 STORZ, BLIND, ALUMINIUM NW110 NOK.133 STORZ, AVEUGLE, ALUMINIUM NW110 NOK.133
	74STO098	STORZ, VAST, 3" , ID, ALUMINIUM, NW75, NOK.89 (PFTE / WIT) STORZ, FIXED, 3" , ID, ALUMINIUM, NW75, NOK.89 (PFTE / WHITE) STORZ, FIX, 3" , ID, ALUMINIUM, NW75, NOK.89 (PFTE / WEIß) STORZ, FIXE, 3 " , ID, ALUMINIUM, NW75, NOK.89 (PFTE / BLANC)
	74STO100	STORZ, BLIND, ALUMINIUM, NW75, NOK.89 STORZ, BLIND, ALUMINIUM, NW75, NOK.89 STORZ, BLIND, ALUMINIUM, NW75, NOK.89 STORZ, VOLET, ALUMINIUM, NW75, NOK.89
	74STO102	STORZ, VAST, 2" , ID, ALUMINIUM, NW52, NOK.66 (PFTE WIT) STORZ, FIXED, 2" , ID, ALUMINIUM, NW52, NOK.66 (PFTE WHITE) STORZ, FIX, 2" , ID, ALUMINIUM, NW52, NOK.66 (PFTE WEIß) STORZ, FIXE, 2 " , ID, ALUMINIUM, NW52, NOK.66 (PFTE BLANC)
	74STO103	STORZ,VAST, 2" , UD, ALUMINIUM, NW52, NOK.66 (SILI WIT) STORZ, FIXED, 2" , UD, ALUMINIUM, NW52, NOK.66 (SILI WHITE) STORZ, FIX, 2" , UD, ALUMINIUM, NW52, NOK.66 (SILI WEIß) STORZ, FIXE, 2 " , UD, ALUMINIUM, NW52, NOK.66 (BLANC SILI)
	74STO105	STORZ , BLIND, ALUMINIUM, NW52, NOK.66 STORZ , BLIND, ALUMINIUM, NW52, NOK.66 STORZ , BLIND, ALUMINIUM, NW52, NOK.66 STORZ, VOLET, ALUMINIUM, NW52, NOK.66

	Article	Description
	74STO107	STORZ, SLANG, ALUMINIUM NW52, NOK.66 (SILI WIT) STORZ, HOSE, ALUMINIUM NW52, NOK.66 (SILI WHITE) STORZ, HOSE, ALUMINIUM NW52, NOK.66 (SILI WEIß) STORZ, TUYAU, ALUMINIUM NW52, NOK.66 (BLANC SILI)

	Article	Description
	74GUI007	<p>KOPPELING , GUILLEMIN , DEKSEL, ALUMINIUM NW 80</p> <p>COUPLING, GUILLEMIN, LID, ALUMINIUM NW 80</p> <p>KUPPLUNG, GUILLEMIN, LID, ALUMINIUM NW 80</p> <p>RACCORD, GUILLEMIN, COUVERCLE, ALUMINIUM NW 80</p>
	74GUI012	<p>KOPPELING GUILLEMIN, ALUMINIUM NW 50,2"K INWENDIGEDRAAD</p> <p>COUPLING GUILLEMIN, ALUMINIUM NW 50,2"K FEMALE THREAD</p> <p>KUPPLUNG GUILLEMIN, ALUMINIUM NW 50,2"K INNENGEWINDE</p> <p>RACCORD GUILLEMIN, ALUMINIUM NW 50,2 "K FILETAGE FEMELLE</p>
	74GUI013	<p>KOPPELING GUILLEMIN, ALUMINIUM NW50, 2" K INWEDIGE DRAAD</p> <p>COUPLING GUILLEMIN, ALUMINIUM NW50, 2" K FEMALE THREAD</p> <p>KUPPLUNG GUILLEMIN, ALUMINIUM NW50, 2" K INNENGEWINDE</p> <p>RACCORD GUILLEMIN, ALUMINIUM NW50, 2 "K FILETAGE FEMELLE</p>
	74GUI019	<p>KOPPELING GUILLEMIN ALUMINIUM NW80,3"K INWENDIGE DRAAD MET VERGREDELING</p> <p>COUPLING GUILLEMIN ALUMINIUM NW80,3"K FEMALE THREAD WITH LOCK</p> <p>KUPPLUNG GUILLEMIN ALUMINIUM NW80,3"K INNENGEWINDE MIT SCHLOSS</p> <p>RACCORD GUILLEMIN ALUMINIUM NW80,3 "K FILETAGE FEMELLE AVEC SERRURE</p>

	Article	Description
	28A3P0000224	ADAPTOR ROESTVRIJSTAAL 4" TW --> 4" ROSISTA ADAPTER STAINLESS STEEL 4" TW -> 4" ROSISTA ADAPTER EDELSTAHL 4" TW -> 4" ROSISTA ADAPTATEUR ACIER INOXYDABLE 4 "TW -> 4" ROSISTA
	73VLK005	VLINDERKLEP BURGMER NW100 ,TW - DICHTING RVS BUTTERFLY VALVE BURGMER NW100 ,TW - SEAL STAINLESS STEEL DROSSELKLAPPE BURGMER NW100 ,TW - DICHTUNG EDELSTAHL SOUPAPE PAPILLON BURGMER NW100, TW - ACIER INOXYDABLE
	74TWK001	TW KOPPELING, BLINDDEKSEL MB 80 SS , ROESTVRIJSTAAL TW COUPLING, BLIND LID MB 80 SS , STAINLESS STEEL TW KUPPLUNG, BLINDDECKEL MB 80 SS , EDELSTAHL TW RACCORD, COUVERCLE BORGNE MB 80 SS, ACIER INOXYDABLE
	74TWK002	KOPPELING, TW, BLINDDEKSEL MB 50 SS,RVS CLUTCH, TW, BLIND LID MB 50 SS, STAINLESS STEEL KUPPLUNG, TW, BLINDDECKEL MB 50 SS, EDELSTAHL EMBRAYAGE, TW, COUVERCLE BORGNE MB 50 SS, ACIER INOXYDABLE
	74TWK005	KOPPELING, TW, BLINDSTOP VB 50 SS, RVS CLUTCH, TW, BLIND STOP VB 50 SS, STAINLESS STEEL KUPPLUNG, TW, BLIND STOP VB 50 SS, EDELSTAHL EMBRAYAGE, TW, BLIND STOP VB 50 SS, INOX
	74TWK008	KOPPELING TW MANNELIJK VK 80 - 3" IG SS - ROESTVRIJSTAAL COUPLING TW MALE VK 80 - 3" IG SS - STAINLESS STEEL KUPPLUNG TW MÄNNLICH VK 80 - 3" IG SS - EDELSTAHL RACCORD TW MALE VK 80 - 3 "IG SS - ACIER INOXYDABLE
	74TWK009	KOPPELING, TW, MANNELIJK VK 50 - 2" IG SS - RVS CLUTCH, TW, MALE VK 50-2 "IG SS-RVS KUPPLUNG, TW, MÄNNLICH VK 50-2 "IG SS-RVS EMBRAYAGE, TW, MÂLE VK 50-2 "IG SS-VR








	Article	Description
	74TWK011	<p>TW KOPPELING ,MET SPANRING/HENDEL TW-M 50 SS, RVS</p> <p>TW COUPLING, WITH TENSION RING/HANDLE TW-M 50 SS, STAINLESS STEEL</p> <p>TW KUPPLUNG, MIT SPANNRING/ GRIFF TW-M 50 SS, EDELSTAHL</p> <p>TW RACCORD, AVEC ANNEAU DE TENSION / POIGNEE TW-M 50 SS, ACIER INOXYDABLE</p>
	74TWK015	<p>TW KOPPELING BLINDSTOP VB 80 ALUMINIUM</p> <p>TW COUPLING BLIND STOP VB 80 ALUMINIUM</p> <p>TW KUPPLUNG BLINDSTOPFEN VB 80 ALUMINIUM</p> <p>TW RACCORD BUTEE VB 80 ALUMINIUM</p>
	74TWK037	<p>KOPPELING TW, DICHRINGSTUK, TW-K 50 SS-2" AG, RVS</p> <p>CLUTCH TW, SEALED RING, TW-K 50 SS-2 "AG, STAINLESS STEEL</p> <p>KUPPLUNG TW, SEALED RING, TW-K 50 SS-2 "AG, EDELSTAHL</p> <p>EMBAYAGE TW, ANNEAU SCELLÉ, TW-K 50 SS-2 "AG, ACIER INOXYDABLE</p>

	Article	Description
	54PES006	BUIS PE SLANGKOKER (ZWARTE POLYETHYLEEN) - 200 X 4,9 X 5200 TUBE PE HOSE TUBE (BLACK POLYETHYLENE) - 200 X 4.9 X 5200 SCHLAUCH PE SCHLAUCH (SCHWARZES POLYETHYLENE) - 200 X 4.9 X 5200 TUBE PE (POLYÉTHYLÈNE NOIRE) - 200 X 4,9 X 5200
	54PES007	SLANGKOKER BUIS PE - 160 X 3,9 X 2400 HOSE TUBE, TUBE PE - 160 X 3.9 X 2400 SCHLAUCH, SCHLAUCH PE - 160 X 3.9 X 2400 TUBE PE - 160 X 3,9 X 2400
	91BEU001	BEUGEL DRM 4" - RVS BRACKET DRM 4" – STAINLESS STEEL HALTERUNG DRM 4" – EDELSTAHL SUPPORT DRM 4" - ACIER INOXYDABLE
	91BEU002	BEUGEL DRM 3" - DIAMETER 12 BRACKET DRM 3" - DIAMETER 12 HALTERUNG DRM 3" - DURCHMESSER 12 SUPPORT DRM 3" - DIAMÈTRE 12
	91BEU003	BEUGEL DRM 2" - DIAMETER 10 BRACKET DRM 2" - DIA10 HALTERUNG DRM 2" - DIA10 SUPPORT DRM 2" - DIA10

	Article	Description
	2893L0136A	<p>VERBINDINGSST LEUNING ROESTVRIJSTAAL KLAPRELING ROESTVRIJSTAAL D24,5 X 100</p> <p>CONNECTING PIECE RAILING STAINLESS STEEL FOLDING RAIL STAINLESS STEEL D24.5 X 100</p> <p>VERBINDUNGSSTÜCK GELÄNDER EDELSTAHL FALTSCHIENE EDELSTAHL D24.5 X 100</p> <p>PIÈCE DE RACCORDEMENT RAIL PLIANT EN ACIER INOXYDABLE D24.5 X 100</p>
	2898L0047A	<p>STEUN KLAPRELING ROESTVRIJSTAAL Lengte: 1040</p> <p>BRACKET FOLDING RAIL STAINLESS STEEL Length: 1040</p> <p>AUFHÄNGUNG KLAPPBARE SCHIENE EDELSTAHL Länge: 1040mm</p> <p>SUPPORT RAIL PLIABLE ACIER INOXYDABLE Longueur: 1040</p>
	28M0L0016A	<p>LOSSE TREDE VOOR TRAP LADDER</p> <p>LOOSE STEP FOR STAIR LADDER</p> <p>LOSER SCHRITT FÜR TREPPEN LEITER</p> <p>ÉTAPE LIBRE POUR L'ÉCHELLE D'ESCALIER</p>
	28M0L0072B	<p>VANGSTUK KLAPRELING</p> <p>FOLDING RAIL RECEIVER</p> <p>FALTSCHIENE RECEIVER</p> <p>RECEPTEUR DE RAIL PLIABLE</p>
	28M6L0125A	<p>VOETSCHARNIERSTUK KLAPRELING</p> <p>FOOT HINGE PIECE FOLDING RAIL</p> <p>FUß-SCHARNIER STÜCK FALTSCHIENE</p> <p>RAIL DE PLIAGE DE PIÈCE A CHARNIÈRE A PIED</p>
	38A3L0000055	<p>LOOPVLAKSTEUN</p> <p>CATWALK BRACKET</p> <p>LAUFSTEG HALTERUNG</p> <p>SUPPORT DE PASSERELLE</p>
	38A3L0000947	<p>BEVESTIGING BUISVANGER KLAPRELING</p> <p>TUBE RECEIVER ATTACHMENT FOLDING RAIL</p> <p>ROHREMPFÄNGER BEFESTIGUNG FALTSCHIENE</p> <p>RAIL PLIANT DE FIXATION DE RÉCEPTEUR DE TUBE</p>

	Article	Description
	38M3L0086A	KLAPGELANDER / TIR OOG ALUMINIUM RECEIVER/TIR EYE ALUMINIUM EMPFÄNGER/TIR ÖSE ALUMINIUM RECEPTEUR/TIR OEILLET ALU
	38M6L0008A	HANDVAT MANGATDEKSEL ALUMINIUM D12 X 124 X 62 MANHOLE COVER LID HANDLE ALUMINIUM D12 X 124 X 62 EINSTIEGSÖFFNUNG DECKELGRIFF ALUMINIUM D12 X 124 X 62 POIGNEE COUVERCLE DE TROU D'HOMME ALUMINIUM D12 X 124 X 62
	38M6L0087B	SCHARNIER EXTRUSIEPROFIEL KLAPRELING GEN.2003 EXTRUSION PROFILE FOLDING RAIL HINGE (GENERATION 2003) EXTRUSIONSPROFIL FALTSCHIENE SCHARNIER (GENERATION 2003) PROFIL D'EXTRUSION CHARNIÈRE DE RAIL PLIANTE (GENERATION 2003)
	38M6LS020A	VERGRENDELING KLAPRELING RVS LOCKING SAFETY RAILING STAINLESS STEEL VERRIEGELUNGS SICHERHEIT GELÄNDER AUS ROSTFREIEM STAHL VERROUILLAGE DE SÉCURITÉ RAILING ACIER INOX
	53RNX022	BUISVANGER VOOR BUIS D32 (EPDM) TUBE RECEIVER FOR TUBE D32 (EPDM) SCHLAUCHEMPFAÑGER FÜR SCHLAUCH D32 (EPDM) TUBE RECEVEUR POUR TUBE D32 (EPDM)
	58A3L0000719	GLIJLAGER VOETSCHARNIER STIJL KLAPRELING SLIDE BEARING FOOT HINGE FOLDING RAIL STYLE GLEITLAGER FUßSCHARNIER FALTSCHIENE STIL PALIER GLISSANT CHARNIERE DE PIED RAIL PLIABLE
	67LRT004	LOOPROOSTER HOOGTE=65, BREEDTE=400, LENGTE=6000 ALMG3 CATWALK GRATE (HEIGHT 65, WIDTH 400, LENGTH 6000) ALMG3 LAUFSTEG GITTER (HÖHE 65, BREITE 400, LÄNGE 6000) ALMG3 GRILLE DE PASSERELLE (HAUTEUR 65, LARGEUR 400, LONGUEUR 6000) ALMG3






	Article	Description
	67LRT015	STEUN LOOPROOSTER/KLAPRELING M6L0126A BRACKET CATWALK GRATE / FOLDING RAIL M6L0126A HALTERUNG LAUFSTEG GITTER / FALTSCHIENE M6L0126A SUPPORT GRILLE PASSERELLE / RAIL PLIABLE M6L0126A
	67LRT023	LOOPROOSTER (H=65/121, B=400, L=6000, ALMG3) - MIT RANDLÖCHER CATWALK GRATE (H = 65/121, B = 400, L = 6000, ALMG3) - WITH RANDLÖCHER LAUFSTEG GITTER (H = 65/121, B = 400, L = 6000, ALMG3) - MIT RANDLÖCHERN GRILLE DE PASSERELLE (H = 65/121, B = 400, L = 6000, ALMG3) - AVEC RANDLÖCHER
	84SLU118	KLEPSLUITING (LENGTE 78 - BREEDTE 20) IN RVS / MOER M12 VALVE CLOSURE (LENGTH 78-WIDTH 20) IN STAINLESS STEEL/NUT M12 VENTILVERSCHLUSS (LÄNGE 78-BREITE 20) AUS ROSTFREIEM STAHL/MUTTER M12 FERMETURE DE VANNE (LONGUEUR 78-LARGEUR 20) EN ACIER INOX/ÉCROU M12
	A1L0000607	KLEMBEUGEL VOOR BUIS HANDRAILING CLAMP BRACKET FOR HANDRAILING PIPE KLEMMHALTERUNG FÜR HANDLAUFROHR SUPPORT DE SERRAGE POUR TUYAU DE MAINTIEN
	A2L0004729	CONNECTION PLATE WALKWAY CONNECTION PLATE WALKWAY VERBINDUNGSPLATTE LAUFSTEG PIED DE RACCORDEMENT
	A2L0005287	STIJL KLAPRELING LINKS MIDDEN COMPLETE SET STYLE SLAP RAILING LEFT (PRESTYLE-STAINLESS STEEL-L1070) COMPLETE SET STYLE SLAP GELÄNDER LINKS (PRESTYLE-EDELSTAHL-L1070) KOMPLETTES SET STYLE SLAP BALUSTRADE GAUCHE (PRESTYLE-INOX-L1070) ENSEMBLE COMPLET
	A2L0005288	STIJL KLAPRELING LINKS COMPLETE SET (VOORSTIJL-RVS-L1070) STYLE SLAP RAILING LEFT COMPLETE SET (PRESTYLE-STAINLESS STEEL-L1070) STYLE SLAP GELÄNDER LINKS KOMPLETTER SATZ (PRESTYLE-EDELSTAHL-L1070) STYLE SLAP BALUSTRADE GAUCHE ENSEMBLE COMPLET (PRESTYLE-ACIER INOX-L1070)

	Article	Description
	A2L0005907	VERBINDINGSSTUK BUIS LOOPRELING CONNECTION PIECE TUBE WALKWAY RAILING VERBINDUNGSSTÜCK SCHLAUCH LAUFSTEGGELÄNDER TUBE DE RACCORDEMENT RAMBARDE DE PASSERELLE
	A3L0000278	STIJL KLAPRELING RECHTS, VOORSTIJL RVS L1070 PILLAR FOLDING RAIL RIGHT, FRONT PILLAR STAINLESS STEEL L1070 SÄULE FALTSCHIENE RECHTS, FRONTSÄULE EDELSTAHL L1070 PILIER RAIL PLIANT DROIT, PILIER AVANT ACIER INOXYDABLE L1070
	A3L0000281	STIJL KLAPRELING MIDDEN PILLAR FOLDING RAIL MIDDLE SÄULE FALTSCHIENE MITTE PILIER PLIANT RAIL MILIEU
	A3L0002518	GEBOGEN BUI HANDRAIL (D26.9XT2XL=1360) OUTSIDE BENT HANDRAIL (D26.9XT2XL=1360) OUTSIDE GEBOGENES GELÄNDER (D26.9XT2XL=1360) MAIN COURANTE EXTÉRIEURE PLIÉE (D26.9XT2XL = 1360)
	A3L0002520	STIJL KLAPRELING LINKS PILLAR FOLDING RAIL LEFT SÄULE FALTSCHIENE LINKS PILIER RAIL PLIANT GAUCHE
	A6L0000125	STIJL KLAPRELING LINKS ACHTER S.S. PILLAR FOLDING RAIL LEFT REAR SÄULE FALTSCHIENE LINKS HINTEN PILIER RAIL PLIANT ARRIÈRE GAUCHE
	A6L0000177	LADDER ALUMINIUM 7 TREDEN GESCHROEFD (BR300) LADDER ALUMINIUM 7-TREAD SCREWED (BR300) LEITER ALUMINIUM 7-STUFEN GESCHRAUBT (BR300) ECHELLE ALUMINIUM 7-TREAD A VIS (BR300)

Article	Description
	A6L0000325 AFSCHORING>LADDER OP ACHTERKADER
A6L0000913	GEBOGEN BUI HANDRAIL (D26.9XT2XL=1360) HANDRAIL BENT (D26.9XT2XL=1360) GEBOGENES GELÄNDER (D26.9XT2XL=1360) MAIN COURANTE COURBEE (D26.9XT2XL = 1360)

	Article	Description
	2898L0035A	<p>TIR MONTAGE OOG / STEUN</p> <p>TIR MOUNTING EYE/BRACKET</p> <p>TIR MONTAGEÖSE/AUFHÄNGUNG</p> <p>ORIFICE DE MONTAGE TIR / SUPPORT</p>
	28M6KS001A	<p>SCHARNIER UITLAAT VLAG BULKCONTAINER S.S</p> <p>HINGE EXHAUST FLAG BULK CONTAINER</p> <p>SCHARNIER AUSPUFF FLAG SCHÜTT-CONTAINER</p> <p>CHARNIERE DRAPEAU D'ECHAPEMENT CONTENEUR EN VRAC</p>
	38M6D0009B	<p>MOF ROND ALUMINIUM D90 X 20 X 2"</p> <p>ROUND SLEEVE ALUMINIUM D90 X 20 X 2"</p> <p>RUNDMUFFE ALUMINIUM D90 X 20 X 2"</p> <p>MANCHON ROND ALUMINIUM D90 X 20 X 2 "</p>
	38S3L1002A	<p>MANGATDEKSEL ALU S.S. UITVOERING 1999</p> <p>MANHOLE COVER ALU (GENERATION 1999)</p> <p>EINSTIEGSÖFFNUNG DECKEL ALU (GENERATION 1999)</p> <p>COUVERCLE DE TROU D'HOMME ALUMINIUM (GENERATION 1999)</p>
	56DOP027	<p>DOMPELDOP ZWART DIA 14.3 X 50 (PVC ZWART)</p> <p>DIP MOULDED CAP BLACK DIAMETER 14.3 X 50 (PVC BLACK)</p> <p>TAUCHFÜRMRKAPPE SCHWARZ DURCHMESSER 14.3 X 50 (PVC SCHWARZ)</p> <p>COUVERCLE MOULÉ DIP NOIR DIAMÈTRE 14,3 X 50 (PVC NOIR)</p>
	73BLL005	<p>WOELER SOLIMAR 4502 , SET OPWOELSCHIJF (BLAUW)</p> <p>WOELER SOLIMAR 4502, SET OPWOELSCHIJF (BLUE)</p>
	73MGD096	<p>KNEVELSET FORT VALE, KNEVEL+OOGBOUT,L=87 ROESTVRIJSTAAL/ROESTVRIJSTAAL</p> <p>TOGGLE SET FORT VALE, TOGGLE + EYE BOLT, L=87 STAINLESS STEEL/STAINLESS STEEL</p> <p>SCHALTER SET FORT VALE, SCHALTER + RINGSCHRAUBE, L=87 EDELSTAHL/EDELSTAHL</p> <p>ENSEMBLE À BASCULE FORT VALE, BOUGIE À BASCULE + BOULON A CEIL, L = 87 ACIER INOXYDABLE / ACIER INOXYDABLE</p>

	Article	Description
	81ITG004	GLASWOL ISOVER PSI A1 D=50 EENZIJDE ALUMINIUM FOLIE GLASS WOOL ISOVER PSI A1 D=50 ONE-SIDED ALUMINIUM FOIL GLASWOLLE ISOVER PSI A1 D=50 EINSEITIG ALUMINIUM FOLIE LAINE DE VERRE ISOVER PSI A1 D = 50 FEUILLE D'ALUMINIUM À UNE FACE
	91MKR006	KNEVEL RVS 1.4301/MS - M20 - 2 ARMEN - KLEIN TOGGLE STAINLESS STEEL 1.4301/MS - M20 - 2 ARMS - SMALL SCHALTER EDELSTAHL 1.4301/MS - M20 - 2 ARME - KLEIN INTERRUPTEUR A BASCULE ACIER INOXYDABLE 1.4301 / MS - M20 - 2 BRAS - PETIT
	91MTR006	TUBE-MOER RVS 1.4301, M24 ZOND.TIR-OOG TUBE-NUT STAINLESS STEEL 1.4301, M24 WITHOUT TIR EYE SCHLAUCH-NUT EDELSTAHL 1.4301, M24 OHNE TIR ÖSE TUBE-ECROU ACIER INOXYDABLE 1.4301, M24 SANS OEILLET TIR
	91OBR007	OOGBOUT RVS M24 X 150 X 115 EYE BOLT STAINLESS STEEL M24 X 150 X 115 RINGSCHRAUBE EDELSTAHL M24 X 150 X 115 BOULON A OEIL EN ACIER INOXYDABLE M24 X 150 X 115
	91OBR009	OOGBOUT RVS A-M20 X 90X61 (DIN 444) EYE BOLT STAINLESS STEEL A-M20 X 90X61 (DIN 444) RINGSCHRAUBE EDELSTAHL A-M20 X 90X61 (DIN 444) BOULON A OEIL EN ACIER INOXYDABLE A-M20 X 90X61 (DIN 444)
	91OBR011	PEN VOOR OOGBOUT M24 ROND RVS 22 X 60 MET GROEF PIN FOR EYE BOLT M24 ROUND STAINLESS STEEL 22 X 60 WITH GROOVE PIN FÜR RINGSCHRAUBE M24 RUND EDELSTAHL 22 X 60 MIT RILLE GOUPILLE POUR BOULON A EYE M24 ROND ACIER INOX 22 X 60 AVEC RAINURE
	91OBR012	OOGBOUT RVS (A-M20X80X51 DIN 444) EYE BOLT STAINLESS STEEL (A-M20X80X51 DIN 444) RINGSCHRAUBE EDELSTAHL (A-M20X80X51 DIN 444) BOULON A OEIL ACIER INOXYDABLE (A-M20X80X51 DIN 444)

	Article	Description
	91OBR014	OOGBOUW A-M24 X 130X95K (DIN 444) EYE BOLT A-M24 X 130X95K (DIN 444) RINGSCHRAUBE A-M24 X 130X95K (DIN 444) BOULON A OEIL A-M24 X 130X95K (DIN 444)
	91STR001	STELSCHROEF, BIN ZESK + AFSCH, DIN 913, M8X10 VOOR OOGBOUW SETTING SCREW, BIN ZESK + AFSCH, DIN 913, M8X10 FOR EYE BOLT EINSTELLSCHRAUBE, BIN ZESK + AFSCH, DIN 913, M8X10 FÜR RINGSCHRAUBE VIS DE REGLAGE, BAC ZESK + AFSCH, DIN 913, M8X10 POUR BOULON A OEIL
	A3K0000461	OUTLET LOCKING DEVICE-SS OUTLET LOCKING DEVICE-SS AUSLAUFVERSCHLUSSGERÄT-SS DISPOSITIF DE VERROUILLAGE DE SORTIE-SS
	A3L0002439	TIR KABELHOUDER TIR CABLE HOLDER TIR KABELHALTER PORTE-CÂBLE TIR
	A3L0002983	MANHOLE COVER DIAMETER 450 MANHOLE COVER DIAMETER 450 EINSTIEGSÖFFNUNGSDECKELDURCHMESSER 450 COUVERCLE POUR REGARD DE DIAMÈTRE 450

	Article	Description
	73KKR024	KOGELKRAAN MET HENDEL, NW20, G 3/4", P=400BAR BALL VALVE WITH HANDLE, NW20, G 3/4", P=400BAR KUGELVENTIL MIT GRIFF, NW20, G 3/4", P=400BAR VANNE À BOULE AVEC POIGNEE, NW20, G 3/4 ", P = 400BAR

Order by Phone 0032-(0)-89469133
Order by Fax 0032-(0)-89469130
Order by E-mail Spareparts@lagservice.eu

Company stamp / Details

Article	Quantity	Description	Remarks
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			

Opmerkingen



Reliable, no matter where

All brands marks images and associated copyright and other intellectual property (including Part Numbers where relevant) are owned by LAG trailers, or the respective producers, owners, or distributors of other makes. No rights or licences are granted to any third party without the express prior written agreement of the owner. Any third party supplier/manufacturer Part Numbers are displayed for comparative purposes only, and are not a statement of origin or manufacture of the product available. This catalogue replaces all previous versions. In kind of mistakes and to be sure for the latest information always ask LAG for the latest version of this catalog. Every effort is made to ensure accuracy but LAG is not liable for any errors or omissions. Inclusion of any product or service is not an offer capable of acceptance, and any orders must be placed and accepted by LAG or any selling dealer on their standard terms of sale. LAG standard terms of sale apply to any use of or enquiry relating to this catalogue/on line publication, and are available on www.lag.be or www.lagservice.eu or your local LAG Dealer. Images are for illustrative purposes only and products available or supplied may vary in finish or other detail without affecting functionality. Sales are subject to the warranty and limitations applying to the product and relevant manufacturer/supplier. All products are subject to availability and the prevailing price at time of binding order.

BELGIUM

LAG trailers N.V. - Bree

Kanaallaan 54 | 3960 Bree
spareparts@lagservice.eu
+32 (0) 89 46 91 33

The Netherlands

Burg Trailer Service - Pijnacker

Katwijkerlaan 75 | 2641PD Pijnacker
magazijn@burgtrailerservice.nl
+31 (0)15 361 5410

Poland

LAG Service Poland - Poznan

Rabowicka 9 | 62-020 Jasin
marcin.labanowicz@lagservice.eu
+48 61 65 15 930

Poland

LAG Service Poland - Katowice

ul. Z. Nałkowskiej 32 | 41-922 Radzionków
jaroslaw.rojek@lagservice.eu
+48 601 861 808